

**Nb<sub>3</sub>Sn superconducting magnets for electron cyclotron resonance ion sources**

**P. Ferracin, S. Caspi, H. Felice, D. Leitner, C. M. Lynceis, S. Prestemon, G. L. Sabbi,  
D. S. Todd**

Accelerator Fusion Research Division  
Ernest Orlando Lawrence Berkeley National Laboratory  
University of California  
Berkeley, California 94720

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor The Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or The Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or The Regents of the University of California.

This work was supported by the Director, Office of Science, Office of Fusion Energy Sciences, of the U.S. Department of Energy under Contract No. DE-AC02-05CH11231.

# Nb<sub>3</sub>Sn superconducting magnets for electron cyclotron resonance ion sources<sup>a)</sup>

P. Ferracin,<sup>b)</sup> S. Caspi, H. Felice, D. Leitner, C. M. Lyneis, S. Prestemon, G. L. Sabbi, and D. S. Todd

Lawrence Berkeley National Laboratory, 1 Cyclotron Road, Berkeley, California 94705, USA

(Presented 21 September 2009; received 21 September 2009; accepted 14 October 2009; published online 8 February 2010)

Electron cyclotron resonance (ECR) ion sources are an essential component of heavy-ion accelerators. Over the past few decades advances in magnet technology and an improved understanding of the ECR ion source plasma physics have led to remarkable performance improvements of ECR ion sources. Currently third generation high field superconducting ECR ion sources operating at frequencies around 28 GHz are the state of the art ion injectors and several devices are either under commissioning or under design around the world. At the same time, the demand for increased intensities of highly charged heavy ions continues to grow, which makes the development of even higher performance ECR ion sources a necessity. To extend ECR ion sources to frequencies well above 28 GHz, new magnet technology will be needed in order to operate at higher field and force levels. The superconducting magnet program at LBNL has been developing high field superconducting magnets for particle accelerators based on Nb<sub>3</sub>Sn superconducting technology for several years. At the moment, Nb<sub>3</sub>Sn is the only practical conductor capable of operating at the 15 T field level in the relevant configurations. Recent design studies have been focused on the possibility of using Nb<sub>3</sub>Sn in the next generation of ECR ion sources. In the past, LBNL has worked on the VENUS ECR, a 28 GHz source with solenoids and a sextupole made with NbTi operating at fields of 6–7 T. VENUS has now been operating since 2004. We present in this paper the design of a Nb<sub>3</sub>Sn ECR ion source optimized to operate at an rf frequency of 56 GHz with conductor peak fields of 13–15 T. Because of the brittleness and strain sensitivity of Nb<sub>3</sub>Sn, particular care is required in the design of the magnet support structure, which must be capable of providing support to the coils without overstressing the conductor. In this paper, we present the main features of the support structure, featuring an external aluminum shell pretensioned with water-pressurized bladders, and we analyze the expected coil stresses with a two-dimensional finite element mechanical model. © 2010 American Institute of Physics. [doi:10.1063/1.3259234]

## I. INTRODUCTION

Third generation electron cyclotron resonance (ECR) ion sources, designed to operate at rf frequencies in the 20–30 GHz range, require full superconducting magnet systems capable of generating high-field isosurfaces to confine the plasma. Currently, three superconducting third generation ECR sources, VENUS,<sup>1</sup> SECRAL,<sup>2</sup> and SUSI (Ref. 3) are in operation and others are under development.<sup>4–8</sup> These sources implement coils made of NbTi, with conductor fields of 6–7 T.

As current facilities continue to upgrade to higher power target capabilities, significantly higher beam intensities will be required. As a result, the ECR systems will have to operate at field levels beyond the capability of NbTi. Fourth generation sources, built with state-of-the-art Nb<sub>3</sub>Sn supercon-

ductor and advanced structure designs, open the possibility of 15 T coil fields and rf frequencies above 50 GHz.<sup>9</sup>

Nb<sub>3</sub>Sn is a superconductor that can generate fields in the 10–20 T range. Wires fabricated with the rod-restack-processed, currently used in high-field magnet development for high energy colliders, can carry current densities in the superconductor up to 3000 A/mm<sup>2</sup> at 12 T and 4.2 K.<sup>10</sup> Unlike NbTi, which is ductile and can withstand high compressive force, Nb<sub>3</sub>Sn is brittle and strain sensitive. As a result, the current carrying capability of Nb<sub>3</sub>Sn coils is affected by mechanical stresses in the windings. The actual behavior depends on several factors, such as the wire design and the fabrication process. However, reversible degradation is generally observed above 150 MPa with severe and permanent degradation occurring above 200 MPa.

In addition to high stresses, electromagnetic forces can cause local motion of the conductor leading to frictional energy dissipation and premature transitions (quenches) to the normal resistive state. In a Nb<sub>3</sub>Sn ECR source, where complex electromagnetic force distributions arise from the combination of the sextupole and solenoid fields, it is therefore mandatory to carefully analyze the strain in the supercon-

<sup>a)</sup> Contributed paper, published as part of the Proceedings of the 13th International Conference on Ion Sources, Gatlinburg, Tennessee, September 2009.

<sup>b)</sup> Electronic mail: pferracin1@lbl.gov.




FIG. 1. (Color online) Critical current density in the superconductor ( $A/mm^2$ ) vs total magnetic field ( $T$ ): operational conditions (marker), magnet load lines (straight dashed line), and critical current parameterization curves (curved lines).

ductor, and devise a support structure capable of minimizing the stress and motions in the coils from assembly to cool down and excitation.

In Ref. 11, we provided an overview of the main features of a fourth generation ECR ion source magnet structure operating at an rf frequency of 56 GHz and a conductor peak field of 15 T. A detailed study of the field in the plasma chamber and coils under operational condition was provided in.<sup>12,13</sup> In this paper we focus on the design of the support structure, which features an external aluminum shell pretensioned with water-pressurized bladders. After a brief summary of the magnet parameters, we will describe the main components of the structure, the loading procedures and the expected coil stresses during magnet assembly and operations.

## II. MAGNET PARAMETERS

The magnet design that we propose for the fourth generation ion source adopts the sextupole-in-solenoid concept used in most of the third generation sources, with the same plasma chamber dimensions as the VENUS source. In order to satisfy the 56 GHz ECR requirements, the sextupole magnet has to generate a field of 4.2 T at a diameter of 140 mm, at the same time providing a 200 mm clear aperture. Two external solenoids, located at the injection and the extraction of the chamber and generating an axial field of, respectively, 8 T and 5 T, provide closure of the field surfaces at the ends. Over the central region, the axial field is minimized to 1–2 T through a third middle solenoid. The sextupole magnet features two double-layer  $\cos(3\theta)$ -type coils wound with a 15.35 mm wide Rutherford cable. The same cable is currently used for large aperture quadrupole models for the Large Hadron Collider luminosity upgrades.<sup>14</sup> In each of the four coil layers, composed, respectively, by 23, 26, 30, and 33 turns, the angular position of the pole turn corresponding to  $20^\circ$  from the magnet midplane was chosen to optimize the field quality.




FIG. 2. (Color online) Magnet cross section.

Peak fields and superconductor current densities expected in the sextupole coils, where the highest fields of the magnet system are reached, are plotted in Fig. 1, together with  $Nb_3Sn$  critical curves at different temperatures. At a rf frequency of 56 GHz, the conductor peak field is 15.1 T and the current density in the superconductor is  $860 A/mm^2$ , corresponding to a cable current of 8.2 kA. In these conditions, the sextupole coils will operate with a temperature margin of 2.5 K and at 86% of their limits (fraction of short sample). This level of short sample has been consistently reached in recent  $Nb_3Sn$  quadrupole magnets.<sup>15</sup>

## III. SUPPORT STRUCTURE DESIGN

The support structure proposed for the fourth generation ECR ion source is based on an external aluminum shell. Shell-based support structures have been developed by the LBNL superconducting magnet program to cope with the needs of high-field  $Nb_3Sn$  magnets.<sup>16</sup> Because of large em forces acting on a brittle superconducting material, these magnets require a precise control of the coil preload in order to minimize conductor motions and coil strain during excitation. This is usually achieved by precompressing the windings so that the cables stay in contact with the winding poles and no gaps develop during the current ramp-up. A cross section of the proposed support structure is depicted in Fig. 2. The sextupole coils wound around titanium alloy poles are surrounded by bolted titanium alloy pads. Interference keys lock the sextupole coils and the titanium alloy pads inside a




FIG. 3. (Color online) Assembly and loading procedure. From left to right: sextupole-pad subassembly, solenoid-pad subassembly, yoke-shell subassembly, loading of sextupole-pad subassembly inside solenoid-pad subassembly, and loading of coil subassemblies inside shell-yoke subassembly.

In the solenoid center region the model predicts that after cooldown, the shrinkage of the aluminum shell determines an increase of coil compression up to  $-159$  MPa, despite part of the force is intercepted by the solenoid. During excitation, the peak stress reduces to  $-86$  MPa (Fig. 5, left). In the “end region,” the compressive force generated by the shell is partially intercepted by the bronze rings, and the coil maximum stress is  $-138$  MPa. During excitation, the combined effect of solenoid and sextupole field creates an asymmetric stress distribution with a maximum stress of  $-175$  MPa (Fig. 5, right). All the other components of the structure operate at a stress level below the yield point. In particular, the Ti pads experience a peak stress of 250 (500) MPa at 293 (4.2) K.

## V. CONCLUSIONS

We described the design of a Nb<sub>3</sub>Sn superconducting magnet system for a fourth generation ECR ion source operating at 56 GHz with a conductor peak field of 15.1 T. The support structure, based on an external aluminum shell, is assembled and preloaded in 5 steps with water pressurized bladders. According to a 2D analysis, after cooldown the structure provide enough preload to maintain the sextupole turns in contact with the poles during excitation, with maximum coil stress of  $-175$  MPa. As a next step, a full three-dimensional analysis needs to be performed to confirm the 2D calculations and further optimize the mechanical structure.

<sup>1</sup>D. Leitner, M. L. Galloway, T. J. Loew, C. M. Lyneis, I. Castro Rodriguez, and D. S. Todd, *Rev. Sci. Instrum.* **79**, 02C710 (2008).

<sup>2</sup>H. W. Zhao, L. T. Sun, X. Z. Zhang, Z. M. Zhang, X. H. Guo, W. He, P. Yuan, M. T. Song, J. Y. Li, Y. C. Feng, Y. Cao, X. X. Li, W. L. Zhan, B. W. Wei, and D. Z. Xie, *Rev. Sci. Instrum.* **77**, 03A333 (2006).

<sup>3</sup>P. A. Závodszy, B. Arend, D. Cole, J. DeKamp, M. Doleans, G. Machi-

coane, F. Marti, P. Miller, J. Moskalik, W. Nurnberger, J. Ottarson, J. Vincent, X. Wu, and A. Zeller, *Rev. Sci. Instrum.* **79**, 02A302 (2008).

<sup>4</sup>T. Nakagawa, M. Kidera, Y. Higurashi, J. Ohonishi, A. Goto, and Y. Yano, *Rev. Sci. Instrum.* **79**, 02A327 (2008).

<sup>5</sup>G. Ciavola, S. Gammino, S. Barbarino, L. Celona, F. Consoli, G. Gallo, F. Maimone, D. Mascali, S. Passarello, A. Galatá, K. Tinschert, P. Spaedtke, R. Lang, J. Maeder, J. Rossbach, H. Koivisto, M. Savonen, T. Koponen, P. Suominen, T. Ropponen, C. Baruè, M. Lechartier, J. P. M. Beijers, S. Brandenburg, H. R. Kremers, D. Vanrooyen, D. Kuchler, R. Scrivens, L. Schachter, S. Dobrescu, and K. Stiebing, *Rev. Sci. Instrum.* **79**, 02A326 (2008).

<sup>6</sup>G. Ciavola, S. Gammino, L. Celona, D. Mascali, F. Maimone, P. Spädtke, K. Tinschert, R. Lang, J. Roßbach, J. Mäder, and H. Koivisto, Proceedings of the 2008 European Particle Accelerators Conference, 2008 (unpublished), p. 400.

<sup>7</sup>J. C. DeKamp, P. A. Závodszy, B. Arend, S. Hitchcock, J. Moskalik, J. Ottarson, and A. F. Zeller, *IEEE Trans. Appl. Supercond.* **17**, 1217 (2007).

<sup>8</sup>J. Ohinishi, T. Nakagawa, H. Higurashi, H. Okuno, K. Kusaka, A. Goto, and T. Minato, Proceedings of the 2008 European Particle Accelerators Conference, 2008 (unpublished), p. 433.

<sup>9</sup>C. M. Lyneis, D. Leitner, D. S. Todd, G. Sabbi, S. Prestemon, S. Caspi, and P. Ferracin, *Rev. Sci. Instrum.* **79**, 02A321 (2008).

<sup>10</sup>A. Godeke, M. G. T. Mentink, D. R. Dietderich, and A. den Ouden, *IEEE Trans. Appl. Supercond.* **19**, 2610 (2009).

<sup>11</sup>S. Prestemon, F. Trillaud, S. Caspi, P. Ferracin, G. L. Sabbi, C. M. Lyneis, D. Leitner, D. S. Todd, and R. Hafalia, *IEEE Trans. Appl. Supercond.* **19**, 1336 (2009).

<sup>12</sup>P. Ferracin, S. Caspi, H. Felice, D. Leitner, C. M. Lyneis, S. Prestemon, G. L. Sabbi, and D. S. Todd, Proceedings of the 2009 Particle Accelerators Conference, Vancouver, Canada, 4–8 May 2009 (unpublished).

<sup>13</sup>D. Leitner, S. Caspi, P. Ferracin, C. M. Lyneis, S. Prestemon, G. L. Sabbi, D. Todd, and F. Trillaud, Proceedings of the 11th International Conference on Heavy Ion Accelerator Technology, Venice, 8–12 June 2009 (unpublished).

<sup>14</sup>H. Felice, G. Ambrosio, M. Anerella, R. Bossert, S. Caspi, D. Cheng, D. R. Dietderich, P. Ferracin, A. Ghosh, R. Hafalia, C. R. Hannaford, V. Kashikhin, J. Schmalze, S. Prestemon, G. Sabbi, P. Wanderer, and A. V. Zlobin, *IEEE Trans. Appl. Supercond.* **19**, 1235 (2009).

<sup>15</sup>P. Ferracin, European Superconductivity News Forum, October 2009 (unpublished).

<sup>16</sup>S. Caspi, S. Gourlay, R. Hafalia, A. Lietzke, J. O’Neill, C. Taylor, and A. Jackson, *IEEE Trans. Appl. Supercond.* **11**, 2272 (2001).