Submitted to Nature as a
Letter to the editor

RECEIVED
LAWRENCE
RADIATION LABORATORY

LBL-520 c.2
Preprint

DOCUMENTS SECTION

FINE-STRUCTURE CONSTANT NUMEROLOGY

TWO-WEEK LOAN COPY

This is a Library Circulating Copy which may be borrowed for two weeks. For a personal retention copy, call Tech. Info. Division, Ext. 5545

James E. Enstrom

November 1971

AEC Contract No. W-7405-eng-48

34

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

FINE-STRUCTURE CONSTANT NUMEROLOGY

James E. Enstrom

Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

Sir Arthur Eddington[1] developed the fundamental theory for the fine-structure constant $\alpha = e^2/\hbar c$. Basically the theory said that "double phase space" has $4^2(4^2 + 1)/2 = 136$ real dimensions; hence $\alpha_E = 1/136$. It was later modified to include "Bond's constant,"[1] $\beta = 137/136$, which gives a corrected value of $\alpha_{EB} = 1/136\,\beta = 1/137$. His theory has been variously applied[1,2,3] to predict with great success such things as the ratio of the proton mass to the electron mass, the gravitational constant G, the number of protons and electrons in the universe, and the temperature of absolute zero.

Recently a new mathematical theory for α has been advanced by Wyler,[4,5] which yields the closed-form expression $\alpha_W = (9/8\pi^4)(\pi^5/2^4 5!)^{1/4} = 1/137.036083$. This number is in amazingly good agreement with the current experimental value of $\alpha_{EXP} = 1/(137.03602 \pm 0.00021)$, which is based on a detailed analysis of the fundamental physical constants e, c, and h.[6] It is in even better agreement with the value $\alpha_{WQED} = 1/(137.03610 \pm 0.00022)$, which has been obtained from experiments without quantum electrodynamics.[7]

These results have led to much excitement about the possible validity of the above theories. It is the purpose of this letter to report on the "experimental" discovery, by the use of elementary

methods, of thirteen new closed-form expressions for α. These expressions, along with their numerical values, are presented in Table I. Also shown in Table I for comparison are the previously mentioned values of α. It should be noted that all thirteen new expressions for α have values which are within one-half standard deviation of the two experimental values. It is hoped that these new expressions will lead to the development of even better theories for the fine-structure constant.

References

1. A. S. Eddington, Fundamental Theory (University Press, Cambridge, 1946).
2. G. Beck, H. Bethe, and W. Riezler, Naturwissenschaften 19, 39 (1931).
3. I. J. Good, Phys. Letters 33A, 383 (1970).
4. A. Wyler, Compt. Rend. 269A, 743 (1969).
5. A. Wyler, Compt. Rend. 271A, 186 (1971).
6. B. N. Taylor, W. H. Parker, and D. N. Langenberg, Rev. Mod. Phys. 41, 375 (1969).
7. T. F. Finnegan, A. Denenstein, D. N. Langenberg, Phys. Rev. Letters 24, 738 (1970). Also see Phys. Rev., to be published.

Table 1

$\alpha_{EXP} = 1/(137.03602 \pm .00021)$

$\alpha_{WQED} = 1/(137.03610 \pm .00022)$

α_E	$= 1/136$	
α_{EB}	$= 1/137$	
α_W	$= (9/8\pi^4)(\pi^5/2^4 51)^{1/4}$	$= 1/137.036083$
α_1	$= (41/4\cdot 5^5)(7^{1/2}/2^{1/4})$	$= 1/137.035988$
α_2	$= (10/17\cdot 89)\cdot 2^{1/7}$	$= 1/137.035990$
α_3	$= (2\cdot 5^2/3\cdot 37)(\pi/15)^{11/3}$	$= 1/137.036014$
α_4	$= \frac{1}{2}(3/10)^3(5^{1/4}/\pi^{8/9})$	$= 1/137.036018$
α_5	$= (5/3\cdot 71)(\pi/8)^{5/4}$	$= 1/137.036021$
α_6	$= (139/10^4)(2^{1/4}/\pi^{5/7})$	$= 1/137.036025$
α_7	$= (10/7\cdot 11\cdot 29)\cdot 3^{4/9}$	$= 1/137.036050$
α_8	$= (3/10\cdot 59)(\pi/2)^{4/5}$	$= 1/137.036057$
α_9	$= (2\pi/199)(1/3)^{4/3}$	$= 1/137.036065$
α_{10}	$= (5/4\cdot 7\cdot 41)(\pi/2)^{8/7}$	$= 1/137.036065$
α_{11}	$= 67/(16\cdot\pi^{9/5}\cdot 5^{8/3}$	$= 1/137.036092$
α_{12}	$= (9/4^5)(3/16)^{1/9}$	$= 1/137.036129$
α_{13}	$= (9/2\cdot 5^2\cdot 23)(4/7)^{1/8}$	$= 1/137.036131$

LEGAL NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Atomic Energy Commission, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

TECHNICAL INFORMATION DIVISION
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720