

**Progress Toward Simulations of Heavy-Ion Beams for Inertial  
Fusion Energy Based on a Darwin Model Field Solver\***

Eric Sonnendruker[1], LBNL;  
Alex Friedman, Dave Grote, LLNL;

The Darwin model is an intermediate model between a purely electrostatic model and the full Maxwell equations [2], obtained by discarding the transverse part of the displacement current in Ampere's law. The model is appealing in some regimes applying to heavy ion beams. Nonetheless it has been neglected up to now, perhaps because of its difficult implementation in most plasma physics problems, linked to the instability of naive time differencing. However, the analyses performed in [3] and [4] tell us that there is a stable regime, and that the stability condition is  $\omega_p/(ck) < 1$ . This stability condition is in general fulfilled in our heavy ion beam problems, which should make our Darwin implementation a lot easier than for most previous plasma physics problems. Progress will be presented.

---

\* This work was supported by the Director, Office of Energy Research[Office of Fusion Energy Science], U.S. Department of Energy under contract No. DE-AC03-76SF00098.

PAC99 Abstract #3302 revision of 29-OCT-98

**Abstract Number: 3302**

**Abstract Key: 29140243**

Paper type: Poster

**MBD- Progress toward simulations of heavy ion beams for Inertial Fusion  
Energy based on a Darwin model field solver**

Eric Sonnendrucker[1], LBNL; Alex Friedman, Dave Grote, LLNL;

The Darwin model is an intermediate model between a purely electrostatic model and the full Maxwell equations [2], obtained by discarding the transverse part of the displacement current in Ampere's law. The model is appealing in some regimes applying to heavy ion beams. Nonetheless it has been neglected up to now, perhaps because of its difficult implementation in most plasma physics problems, linked to the instability of naive time differencing. However, the analyses performed in [3] and [4] tell us that there is a stable regime, and that the stability condition is  $\Delta t \leq \Delta x / c$ . This stability condition is in general fulfilled in our heavy ion beam problems, which should make our Darwin implementation a lot easier than for most previous plasma physics problems. Progress will be presented. This work was supported by the Director, Office of Energy Research[Office of Fusion Energy Science], U.S. Department of Energy under contract No. DE-AC03-76SF00098.

[1] Permanent address: IECN-projet Numath, University Nancy 1, France

[2] P.A. Raviart, E. Sonnendrucker, Numer. Math. 73, 329 (1996).

[3] C.W. Nielson, H.R. Lewis, Methods in Computational Physics 16, 367 (1976).

[4] E. Sonnendrucker, J.J. Ambrosiano, S.T. Brandon, J. Comput. Phys. 121, 281

(1995).