

PICTURE OF NONLINEAR COUPLING USING DECOUPLING TRANSFORMATIONS

A.M. Sessler, A. Wolski

Lawrence Berkeley National Laboratory, Berkeley, CA, 94720

Linear coupling in a storage ring is conveniently analyzed in terms of transformations that put the single-turn map into block-diagonal form. Such a transformation allows us to define new variables, in which the dynamics are uncoupled. In principle, a similar approach may be taken to nonlinear coupling; we discuss such an approach in this paper, giving some simple illustrations of the ideas, based on the well-known techniques of normal form analysis. We also discuss some obstacles to finding a nonlinear decoupling transformation in the general case.

This work was supported by the Director, Office of Science, High Energy Physics, US Department of Energy under contract number DE-AC02-05CH11231.

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor The Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or The Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof, or The Regents of the University of California.

Ernest Orlando Lawrence Berkeley National Laboratory is an equal opportunity employer.