UCRL-11192

University of California

Ernest O. Lawrence Radiation Laboratory

TWO-WEEK LOAN COPY

This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 5545

A SYSTEMATIC APPROACH TO THE ANALYSIS OF NN AND N$\bar{N}$ TOTAL CROSS SECTIONS

Berkeley, California

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

Non-Standard Phys. Rev. Letters

UCRL-11192

UNIVERSITY OF CALIFORNIA

Lawrence Radiation Laboratory
Berkeley, California

AEC Contract No. W-7405-eng-48

A SYSTEMATIC APPROACH TO THE ANALYSIS OF NN AND $N\bar{N}$ TOTAL CROSS SECTIONS

Akbar Ahmadzadeh and Elliot Leader

January 8, 1964

A SYSTEMATIC APPROACH TO THE ANALYSIS OF NN AND $N\bar{N}$ TOTAL CROSS SECTIONS*

Akbar Ahmadzadeh and Elliot Leader

Lawrence Radiation Laboratory
University of California
Berkeley, California

January 8, 1964

We wish to point out a general, rigorous and extremely simple method of analyzing NN and $N\bar{N}$ total cross sections and, as an example, to indicate its application in Regge-type models. Because in this analysis we must know the $\bar{p}n$ total cross section, a primary aim of this letter is also to encourage the experimental measurement of $\sigma_{\bar{p}n}$.

I. Consider NN or $N\bar{N}$ scattering in the s-channel. Examination of the s-channel-to-t-channel crossing matrices indicates that the total (unpolarized) NN or $N\bar{N}$ cross section (s-channel) can be expressed in terms of only one of the five $N\bar{N} \to N\bar{N}$ spin-transition amplitudes (f_1 through f_5 in the notation of Ref. 1) in the t-channel. This transition can take place with parity $P = \pm 1$ and isospin $I' = 0$ or 1. Specifically, one finds

$$\sigma^I \begin{pmatrix} NN \\ N\bar{N} \end{pmatrix} = \frac{4\pi}{p\sqrt{s}} (-1)^I \sum_{\substack{I'=0,1 \\ P=\pm 1}} B^{II'} \begin{pmatrix} P \\ 1 \end{pmatrix} g(P, I'; s) , \tag{1}$$

where $B^{II'}$ is an element of the well-known isospin crossing matrix,[1] and we have $s = 4m^2 + 2m\,T$, $p = \left(\frac{mT}{2}\right)^{1/2}$ (T is the laboratory kinetic energy), and

$$g(P, I; s) = -P\,\mathrm{Im}\,f_2\,(P, I; s, t = 0)\,. \tag{2}$$

Here f_2 is one of the $N\bar{N}$ (t-channel) spin-triplet transition amplitudes.[1]

Thus the four independent experimental cross sections can be expressed in terms of the four functions $g(P, I)$ as

$$\begin{aligned}
\sigma_{pp} &= \frac{2\pi}{p\sqrt{s}}\{g(+, 0) - g(-, 0) - g(-, 1) + g(+, 1)\},\\
\sigma_{pn} &= \frac{2\pi}{p\sqrt{s}}\{g(+, 0) - g(-, 0) + g(-, 1) - g(+, 1)\},\\
\sigma_{\bar{p}p} &= \frac{2\pi}{p\sqrt{s}}\{g(+, 0) + g(-, 0) + g(-, 1) + g(+, 1)\},\\
\sigma_{\bar{p}n} &= \frac{2\pi}{p\sqrt{s}}\{g(+, 0) + g(-, 0) - g(-, 1) - g(+, 1)\}.
\end{aligned} \tag{3}$$

The above results are generally valid and apply at all energies. They are particularly useful in the high-energy region since almost all theoretical models of high-energy scattering calculate, as primary quantities, the t-channel $N\bar{N}$ amplitudes of definite parity and isospin. Inversion of Eq. (3) provides a unique set of four functions directly related to four experimental quantities, namely:

$$
\begin{aligned}
g(+, 0) &= \frac{p\sqrt{s}}{8\pi} \left[\sigma_{pp} + \sigma_{pn} + \sigma_{\bar{p}p} + \sigma_{\bar{p}n}\right] \\
g(-, 0) &= \frac{p\sqrt{s}}{8\pi} \left[-\sigma_{pp} - \sigma_{pn} + \sigma_{\bar{p}p} + \sigma_{\bar{p}n}\right] \\
g(-, 1) &= \frac{p\sqrt{s}}{8\pi} \left[-\sigma_{pp} + \sigma_{pn} + \sigma_{\bar{p}p} - \sigma_{\bar{p}n}\right] \\
g(+, 1) &= \frac{p\sqrt{s}}{8\pi} \left[\sigma_{pp} - \sigma_{pn} + \sigma_{\bar{p}p} - \sigma_{\bar{p}n}\right] .
\end{aligned}
\tag{4}
$$

Once the energy dependence of the functions $g(P, I)$ is known, these functions can be analyzed in terms of any specific model under consideration. The contribution of any model to the $g(P, I)$ can be obtained directly if it is expressed in terms of the quantum numbers of the t-channel, or by an application of the known crossing matrices.[1,2]

II. We illustrate here the use of these equations in the Regge model. In the Regge model the correspondence with the four

trajectory families is

$$g(+,\ 0) \longrightarrow \text{Pomeranchuk family}$$
$$g(-,\ 0) \longrightarrow \omega \quad \text{family}$$
$$g(-,\ 1) \longrightarrow \rho \quad \text{family}$$
$$g(+,\ 1) \longrightarrow R \quad \text{family.}$$

Note that of the twelve possible sets of trajectory quantum numbers coupled to the $N\bar{N}$ system,[3] only the above four contribute to f_2 and therefore to the total s-channel cross sections. The R-trajectory[4] has not usually been included in Regge-pole analyses, since there is no known resonance with its quantum numbers, $I(J^{PG}) = 1(J^{--}_{\text{even}})$. However, in a systematic analysis it should be included, and Eqs. (4) would indicate whether its effect is negligible or not.

Considering the relatively high-energy region, we expect that only t-channel contributions are significant. Then from Eq.(2) the contribution of any Regge pole to the g(P, I) of its family is

$$B_{P,I}\,(2\alpha_{P,I} + 1)\,P_{\alpha_{P,I}}\left(\frac{m + T}{m}\right), \tag{5}$$

where $B = \beta e^{i\pi\alpha}$ is the modified residue of the trajectory.

Incidentally, note that from Eqs.(3), in contrast to

$\sigma_{\bar{p}p}$, we expect that $\sigma_{\bar{p}n}$ should <u>increase</u> towards its asymptotic value.

In conclusion, Eq.(4) offers a simple and systematic scheme for analyzing theoretical models in terms of the experimental cross sections.

ACKNOWLEDGMENT

The authors are indebted to Professor Geoffrey Chew for suggestions and encouragement.

FOOTNOTES AND REFERENCES

* Work done under the auspices of the U. S. Atomic Energy Commission.

1. M. L. Goldberger, M. T. Grissaru, S. W. MacDowell, and D. Y. Wong, Phys. Rev. 120, 2250(1960).

2. The crossing matrices are implicit in Ref. (1). A complete account of these matrices will be given in a subsequent paper.

3. I. J. Muzinich, Phys. Rev. 130, 1571(1963).

4. A. Pignotti, Lawrence Radiation Laboratory Report UCRL-11152, December 3, 1963, submitted to Phys. Rev. Letters; A. Ahmadzadeh, Lawrence Radiation Laboratory Report UCRL-11164, December 16, 1963, submitted to Phys. Rev. Letters.

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.