UCRL - 3844

# UNIVERSITY OF CALIFORNIA

# Radiation Laboratory

TWO-WEEK LOAN COPY

*This is a Library Circulating Copy which may be borrowed for two weeks. For a personal retention copy, call Tech. Info. Division, Ext. 5545*

BERKELEY, CALIFORNIA

## DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

UCRL-3844

UNIVERSITY OF CALIFORNIA

Radiation Laboratory
Berkeley, California

Contract No. W-7405-eng-48

# LIST OF UNCLASSIFIED REPORTS RECEIVED AND ISSUED BY THE UCRL INFORMATION DIVISION DURING THE PERIOD OF JUNE 16-26, 1957

June 28, 1957

Printed for the U. S. Atomic Energy Commission

# LIST OF UNCLASSIFIED REPORTS RECEIVED AND ISSUED BY THE UCRL INFORMATION DIVISION DURING THE PERIOD OF JUNE 16-26, 1957

Radiation Laboratory
University of California
Berkeley, California

June 28, 1957

| Index Number | Title | Author | Date |
|---|---|---|---|
| | **BIOSCIENCES** | | |
| AF-SAM-56-109 | Comparative X-Ray Dosimetry | S. C. Sigoloff<br>L. C. Logie<br>H. M. Borella et al<br>Texas Univ. | 4-19-56 |
| CRC-689 | Levels of Strontium 90 in Canada up to December 1956 | Atomic Energy of Canada Ltd. Chalk River Project, Chalk River, Ont. | 2-57 |
| IGO-AM/W-68 | The Determination of the Plutonium Content of Urine (Phosphate Method) | G. P. Cook<br>O. Jones<br>Gt. Brit. Windscale Works, Sellafield, Cumb., England | 9-19-52 |
| MF-94 | The Output of the Heart in Dogs. Reprinted from American Journal of Physiology 57, 27-50 (1921). | G. N. Stewart | |
| UR-492 | Acceleration of Aging by Ionizing Radiation | G. W. Casarett<br>Rochester, N. Y. Univ. | 6-20-57 |
| USNRDL-TR-143 | Effects of In Vitro X Irradiation (1000 r) on the Deoxyribonucleoprotein Complex of Spleen | L. J. Cole<br>M. E. Ellis | 3-22-57 |
| WT-1212 | Effects of Nuclear Explosions on Canned Foods. Project 32.2 [of] Operation Teapot; Report to the Test Director. | C. A. Greenleaf<br>J. M. Reed<br>E. R. McConnell et al<br>Food & Drug Ad[illegible]<br>Fed C[illegible] | 3-56 |

Microcard

## CHEMISTRY

| | | | |
|---|---|---|---|
| *A-3257 | 110 Mass Spectrometer | M. G. Inghram<br>B. M. Rustad<br>O. H. Nester, et al<br>Carbide and Carbon Chem. Co. | 3-21-45 |
| *AD-61182 | The Structure of Electrodeposited Nickel (thesis) | R. W. Bollinger<br>No. Carolina State<br>Coll., Raleigh | 1955 |
| *AD-78981 | Determination of the Particle Size and Distribution of Sub-Sieve Powders. Research and Development Lecture No. 13 | B. Dubrow<br>Picatinny Arsenal.<br>Samuel Feltman Ammunition<br>Labs., Dover, N. J. | 3-55 |
| *AD-81585 | The Corrosiveness of Oil During Irradiation (thesis) | C. E. Johnson, Jr.<br>Institute of Tech<br>Wright-Patterson<br>AFD, Ohio | 3-15-55 |
| *AD-103599 | Research on Phase Relationships in Ternary Metal-Metal-Oxygen Systems. Quarterly Report No. 3 [for] April 1, 1956 - June 30, 1956. | E. Mack<br>Ohio State Univ.<br>Res. Foundation<br>Columbus | 6-30-56 |
| *AD-105431 | A Study of the Atomatic Control of a Continuous Distillation Column (thesis) | E. G. Park, Jr.<br>R. A. Vince<br>Inst. of Tech.<br>Wright-Patterson<br>AFB, Ohio | 8-56 |
| *AD-107820 | The Electrochemistry of Low Valences of Titanium Quarterly Progress Report for June 1, 1956 to Sept. 1, 1956 | T. C. Franklin<br>H. V. Seklemian<br>R. Poe<br>Baylor Univ.,<br>Waco, Tex. | 9-1-56 |
| AECD-3758 | Modifications of the F Process. Final Report. | L. H. Juel<br>Great Lakes Carbon Corp.<br>Morton Grove, Ill. | 1952 |

*Microcard

| | | | |
|---|---|---|---|
| AECU-3462 | A Study of the Reaction Rate for the Ion Exchange System Dowex-50, Calcium, and Sodium Under Flow Conditions | N. T. Anderson<br>F. N. Peebles<br>Tennessee Univ. | 12-56 |
| AECU-3463 | An Experimental Study of the Performance Characteristics of a Continuous Countercurrent Ion Exchange Column | G. M. Drake, Jr.<br>F. N. Peebles<br>same | 3-57 |
| AERE-C/R-2139 | The Polarographic Determination of Boron Using Sodium Nitrite | H. I. Shalgosky<br>United Kingdom At. En. Auth. Res. Grp.<br>Woolwich Outstation<br>England | 12-56 |
| AERE-C/R-2146 | The Micro Volumetric Determination of Uranium with Application to Bismuth Base Alloy Analysis | G. W. C. Milner<br>G. A. Barnett | 1-57 |
| AERE-I/M-43 | A Selected Reading List on Radiological Protection and Laboratory Design | | 4-57 |
| *AF-TR-6145 (Pt. III) | The Experimental Measurement of Thermal Conductivities, Specific Heats, and Densities of Metallic, Transparent and Protective Materials. Part III. | C. F. Lucks<br>J. Matolich<br>J. A. Van Velzor<br>Battelle Me. Inst. | 3-54 |
| *AGC-AE-35 | The Reaction of Molten Metal with Water | Aerojet Gen. Corp<br>Azusa, Calif. | 3-29-57 |
| *AWRE-0-39/56 | The Application of Micro-Chemical Methods to Radiochemical Analysis | J. Herrington<br>R. G. Monk<br>Gt. Brit. At. Weapons Res. Est., Aldermaston<br>Berks, England | 10-5-56 |
| BMI-946 | Recovery of Thorium from Brazilian Monazite Sludge by Nitric Acid Digestion | W. A. Meeley<br>M. J. Snyder<br>R. B. Filbert, Jr. | 8-24-54 |
| *BNL-2811 | Inexpensive Equipment for Studying the Irradiation of Organic Materials in a Pile under Static Conditions | A. P. Wolf<br>A. Oltmann | [1956] |

*Microcard

| | | | |
|---|---|---|---|
| *CCC-1024-TR-226 | Carminic Acid Method for Spectrophotometric Determination of Boron | W. A. Powell<br>E. H. Poindexter<br>Richmond Va. Univ. | 2-20-57 |
| *CCC-1024-TR-227 | Screening Experiments of Methylborate with Various Chlorides | R. K. Pearson<br>T. W. Platt<br>J. C. Renforth et al<br>Callery Chem. Co. | 3-1-57 |
| *CCC-1024-TR-228 | Colorimetric Determination of Boron-Hydrogen Compounds with Phosphomolybdic Acid | W. H. Hill<br>J. M. Merrill<br>R. H. Larsen<br>Pittsburg Univ. | 3-5-57 |
| *CCC-1024-TR-230 | Curcumin (Turmeric) Method for Spectrophotometric Determination of Boron. | W. Powell<br>E. Hardcastle<br>H. Poindexter<br>Richmond, Va. Univ. | 3-12-57 |
| *CCC-1024-TR-231 | Structures and Thermodynamic Properties of High Temperature Gaseous Species in the $B_2O_3$-$H_2O$ System | J. L. Margrave<br>J. R. Soulen<br>G. E. Leroi et al.<br>Wisconsin Univ. | 3-14-57 |
| *CCC-1024-TR-233 | Low-Temperature Heat Capacity and Thermodynamic Properties of Sodium Methoxide | E. F. Westrum, Jr.<br>G. Grenier<br>Michigan Univ. | 3-26-57 |
| *CCC-1024-TR-234 | Conversion of Boric Oxide to Boron Trichloride | R. K. Pearson<br>T. W. Platt<br>J. C. Renforth, et al<br>Callery Chem. Co. | 4-2-57 |
| *CCC-1024-TR-235 | Reactions of Pentaboranes with Sodium Amalgam or Sodium Hydride | M. D. Ford<br>W. V. Hough<br>L. J. Edwards et al<br>same | 4-5-57 |
| *CEI-94 | Tests on the Proposed Fission Product Evaporator Vacuum Sampler | E. Yatabe<br>Chalk River Project<br>Chalk River, Ont. | 5-56 |
| *CF-51-9-177 | Design Methods in Solvent Extraction | H. F. Johnson<br>Oak Ridge Nat'l Lab. | 9-19-51 |

*Microcard

| | | | |
|---|---|---|---|
| *CF-54-5-74 | Development of a Method for Predicting Continuous Trickle-Type Column Dissolver Behavior from Batch Data | R.G. Wymer<br>Oak Ridge Nat'l Lab. | 5-14-54 |
| *CF-56-12-111 | Spectrophotometric Determination of Lithium Carbide in Metallic Lithium as the Acetylene-Silver Perchlorate Complex | T.W. Gilbert, Jr.<br>A.S. Meyer, Jr.<br>J.C. White<br>same | 12-27-56 |
| *CF-57-2-37 | Extraction of Metal Ions with Di-2-Ethylhexyl Phosphoric Acid | J.C. White<br>same | 2-8-57 |
| *CF-57-2-97 | Preliminary Estimate of the Cost of Production of 10% Isotopic Purity Oxygen-17 by Chemical Exchange | B.B. Klima<br>same | 2-1-57 |
| *CF-57-2-144 | Capillary Flowmeter | E.C. Hise<br>same | 2-20-57 |
| *CF-57-3-43 | Volatility Pilot Plant--Design of a NaF Packed Tower for Removing HF from Fluorine | J.S. Watson<br>same | 3-7-57 |
| *CF-57-3-44 | Semipermanent Freeze Plug Tests with HRT-CP | R.H. Winget<br>same | 3-11-57 |
| *CF-57-4-9 | Acid Formation in the Radiolysis of Phosphorus Esters | W.H. Baldwin<br>same | 4-3-57 |
| *CRC-688 | Radiochemical Procedures for Strontium and Yttrium | Chalk River Pro. | 2-57 |
| *CRCE-591 | Ultimate Fission Product Disposal. The Disposal of Curie Quantities of Fission Products in Siliceous Materials | J.M. White<br>G. Lahaie<br>same | 3-55 |
| *CRL/AE-131 | The Recovery of Niobium from Mrima Ore | R.A. Wells<br>R.B. Temple<br>A.A. North<br>Gt. Brit. Chem. Res.<br>Teddinton, Middx., England | 11-55 |
| *CRLR-488 | Investigation of the Vacuum-Forming Process for Plastics Fabrication | H. Gross<br>W.L. Price<br>Chem. and Radiological Labs. Army Chem. Center, Md. | 1-6-55 |

*Microcard

| | | | |
|---|---|---|---|
| *CRLR-648 | A Survey of Radioactive Waste Disposal | F. A. Hedman<br>Chem. and Radiological Labs., Army Chem. Center, Md. | 3-1-56 |
| DOW-156 | Direct Solvent Leaching of Uranium Ores with Alkyl Phosphates | J. E. Magner | 5-1-57 |
| *DTMB-804 | The Diffusion of Air Into a Pulsating Caviation Bubble | L. Pode<br>David W. Taylor Model Basin, Carderock, Md. | 3-55 |
| *EBR-10h | Removal of Radioactive Substances from Water by the Activated-Sludge Process | Gt. Brit. Water Pollution Res. Lab., Watford Herts, England | 9-52 |
| *FPSD/P-1 | Removal of Phosphotungstic Acid from Fission Products by Solvent Extraction | T. V. Healy<br>Gt. Brit. Atomic Energy Res. Est. Harwell, Berks, England | 1-1-55 |
| *FPSD/P-13 | The Removal of Fission Products from Solution with a Precipitator-Column Treatment. Part I. Laboratory Trials | K. G. Seedhouse<br>J. Monahan<br>G. Wallis<br>same | [1955?] |
| *HEC-74 | Quarterly Report for October, November, and December 1956 | G. T. Miller<br>Hooker Electrochemical Co. Niagara Falls, N. Y. | 12-31-56 |
| *HEC-78 | Quarterly Report for January, February and March 1957 | G. T. Miller<br>same | 3-29-57 |
| *HW-40322 | Purex Plant Small Pulse Generator Operation | P. B. McCarthy | 12-7-55 |
| *HW-40801 (Rev) | Comparison of Flame Photometer and Conductivity Meter for the Determination of NaCl from Respirator Testing | J. W. Baum<br>W. E. Gill | 9-26-55 |

*Microcard

| | | | |
|---|---|---|---|
| HW-47194 | Logarithmic and Linear Scintillation Exposure-Rate Meters with Sodium Iodide Crystals. | W. G. Spear | 4-1-57 |
| *HW-48735 | Light Water Separation with Triethylamine | H. T. Hahn<br>E. B. Street | 2-22-57 |
| IDO-14396 | Analytical Control Laboratory Operating Manual | M. J. Painter<br>G. A. Huff, ed. | 3-21-57 |
| IDO-14409 | Apparatus for Remote, Small Scale, Liquid-Liquid Extractions | F. W. Dykes<br>R. G. Masterson | 6-11-57 |
| *IGO-AM/W-70 | The Determination of Radio-Ruthenium in Seaweed Ash | J. Barraclough<br>Gt. Brit. Windscale Works, Sellafield, Cumb. England | 2-8-57 |
| *IGO-AM/W-78 | The Determination of Trace Amounts of Oil in Carbon Dioxide By Absorption in Carbon Tetrachloride and Infra Red Spectrometry | E. Hughes<br>same | 3-7-57 |
| *IGO-AM/W-82 | The Sampling of Liquid Carbon Dioxide Prior to Analysis | no author<br>same | 3-11-57 |
| IGR-TN/W-489 | Gamma Absorption Techniques Applied to Steam Dryness Determinations | A. P. Dixon<br>same | 3-57 |
| *IMM-NYU-197 | Underwater Explosion Bubbles. II. The Effect of Gravity and the Change on Shape | I. I. Kolodner<br>J. B. Keller<br>N. Y. Univ. | 6-53 |
| KAPL-1748 | A One-Cycle Process for the Recovery and Decontamination of Plutonium. Terminal Report | H. W. Alter<br>R. Fowler, Jr.<br>J. L. Mewherter | 1-2-57 |
| KAPL-1763 | The Kinetics of Molten Metal - Water Reactions: A Report on $Na_2K$-Water Vapor | H. M. Saltsburg | 4-30-57 |
| LA-1934 | The Preparation of High-Purity Thorium Oxide | R. N. Roberts | 6-12-57 |

*Microcard

| | | | |
|---|---|---|---|
| MF-93 | Hydrogen Bonding and Some Observations on the Physical Properties of the Hydrogen Compounds of the Elements of Groups 4a, 5a, 6a, and 7a, by Robert W. Taft, Jr. and Harry H. Sisler. Reprinted from Journal of Chemical Education 24, 175-81 (1947). and Transference Numbers by the Moving Boundary Method, by Paul Bender and Donald R. Lewis. Reprinted from Journal of Chemical Education 24, 454-6 (1947). | | |
| Monograph B-1265 | Dielectric Properties of Organic Compounds; Relation to Chemical Composition and Physical Structure. Reprinted from Industrial and Engineering Chemistry 32, 1519-28 (1940) | S. O. Morgan<br>W. A. Yager<br>Bell Telephone Lab | |
| *N-1722 | The Preparation of $UF_6$ from $UF_4$ and $O_2$ | S. F. Fried<br>N. R. Davidson<br>Chicago Univ. | 11-14-44 |
| *N-2128 | The Reaction of Uranium Compounds with Aluminum Chloride | S. Fried<br>same | 10-12-45 |
| *NAVORD-5009 | Observations on Bubble Growths in Various Superheated Liquids | P. Dergarabedian<br>Naval Ordance Test Station, Inyokern (China Lake) | 1-26-56 |
| *NBS-4943 | Thermodynamic Properties of Some Boron Compounds | W. H. Evans<br>D. D. Wagman<br>E. J. Prosen | 8-31-56 |
| *NBS-5176 | Development of Heat Resistant Polymers | L. A. Wall | 3-15-57 |
| NBS-5213 | Evaluation Tests of Three Samples each of Nine Types of Scintillation Survey Meters | R. E. Brueckmann<br>P. V. Barrans | 4-30-57 |
| NBS-5274 | Comparison of Nuclear Track Film Badge Services Offered by Commercial Film Badge Suppliers | L. Nicastro | 5-10-57 |
| NBS-5322 | Flourine Substitution in Hydrous Silicates and Related Minerals | A. Van Valkenburg<br>C. E. Weir<br>E. N. Bunting | 3-57 |

*Microcard

| | | | |
|---|---|---|---|
| NLCO-671 | The Sublimation of Uranyl Fluoride in the Presence of Hydrogen Fluoride | R.E.DeMarco<br>R.C.Abbott<br>DuWane C.Bonfer et al | 3-26-57 |
| NMI-1171 | The Chemical Analysis of Zirconium and Zircaloy Metals | E.B.Read<br>H.M.Read | 1-31-57 |
| *NP-6206 | Electrical Properties of Thorium Oxide and Similar Materials at High Temperature | W.E.Danforth<br>Bartol Res. Fd.<br>Penna. | 2-15-57 |
| *NP-6231 | High Velocity Corrosion Study in Organic Media. Tech. Report No. 54 | K.R.Barker<br>J.W.Mausteller<br>Mine Safety Appliances Co. | 2-27-57 |
| * NP-6232 | In-Pile Testing of Mono-Isopropyl Biphenyl | M.J.McGoff<br>J.W.Maustellar<br>same | 2-28-57 |
| *NP-6235 | Solubility of Several Gases in Isopropyl Biphenyl at Atmospheric Pressures and up to 125 C. Memo Report No. 122 | R.Gagne<br>E.F.Batutis<br>same | 11-26-56 |
| *NP-6237 | Effect of Irradiation on Solids: A Bibliography 4th Ed. | H.C.Friedemann, comp.<br>Penn-Texas Corp. | 3-57 |
| *NP-6244 | The Effect of Nuclear Radiation Structural Adhesives and Plastics, Bimonthly Report No. 5 [for] December 15, 1956 to February 15, 1957 | R.Y.Mixer<br>Stanford Res. Inst.<br>Menlo Park | 2-15-57 |
| *NP-6246 | Diffusion in Ionic Compounds. A Review | T.J.Gray<br>B.D.James<br>E.A.Giess<br>New York State Univ. | 3-57 |
| *NYO-1136 | Problems of Leaching and Digestion of Uraniferous Slags; June 1951 | H.Fleck<br>Vitro Manu.Co. | 7-20-51 |
| *NYO-1159 | Problems of Refining Uraniferous Residues: Technology Feed Materials Progress Report for May 1953 | H.Fleck<br>J.E.Summers<br>same | 6-15-53 |

*Microcard

| | | | |
|---|---|---|---|
| *NYO-1239 | A Study of the Decomposition Rate of Polymer During Fractionation Under Diminished Pressure | J. L. Hanner<br>Hooker Electrochem. Co. | 6-1-54 |
| NYO-3109 | Physical Chemical Properties of the Systems $NaCl-ZrCl_4$, $KCl-ZrCl_4$, and $NaCl-KCl-ZrCl_4$. Final Report. | H. H. Kellogg<br>L. J. Howell<br>R. C. Sommer<br>Columbia Univ. | 8-8-55 |
| NYO-3435 | Metallic Smokes. An Electron Microscope Examination of Aerosols Produced by Evaporation of Metals in Helium | P. H. Till<br>J. Turkevich<br>Princeton Univ. | 1-15-56 |
| *NYO-4617 | Radiochemical Determination of Strontium 89 and Strontium 90 | J. Fresco<br>E. Hardy<br>G. Welford | 12-7-54 |
| NYO-4752 | Size Separation of Aerosol Particles by an Electrostatic Discriminator. Final Report for September 1, 1955 - September 15, 1956 | V. G. Drozin<br>Columbia Univ. | 3-12-57 |
| *NYO-7544 | The Non-Stoichiometry of Uranium Hydride. Period Covered: October 1, 1956 to February 13, 1957 | G. C. Libowitz<br>Tufts Univ. | 2-25-57 |
| *ORNL-1985 | Interim Evaluation of the Fluorox Process for $UF^4$ and $UF^6$ Manufacture | J. E. Moore | 5-26-55 |
| ORNL-2323 | Activities in the $KCl-FeCl_2$ and $LiCl-FeCl_2$ Systems | C. Beusman | 6-6-57 |
| *OSR-TN-56-494 | Nuclear Magnetic Resonance Study of the $B_2D_6-B_5H_9$ Exchange | W. S. Koski<br>J. J. Kaufman<br>P. C. Lauterbur<br>Johns Hopkins Univ. | 10-56 |
| *OSR-TN-56-584 | A High Resolution, Low Field Nuclear Magnetic Resonance Spectrometer | R. W. Mitchell<br>M. Eisner<br>Texas. Agr. and Mech. Coll., College Station | 11-56 |
| *PA-TR-2371 | Simple Conversion of an Analytical Balance for Automatically Recording Weight Changes | C. Campbell<br>S. Gordon<br>Picatinny Arsenal<br>Dover, N. J. | 10-56 |

*Microcard

| | | | |
|---|---|---|---|
| *RCSC-10A | Mass and Activity of Iodine and Tellurium Formed in Fast Reactor Fuel ($U^{235}$) | J. J. Syrett<br>Gt. Brit. Atomic En. Res. Est. Harwell, Berks, England | 12-11-52 |
| RMO-2805 | Recovery of Uranium Values from Ore and Concentrate Samples. Colorado Primary Ores. Progress Report No. 5. | Colorado Sch. of Mines Res. Foundation | 6-30-55 |
| TID-3507 | U.S. Atomic Energy Commission Reports on Elemental Fluorine | Compiled by S. F. Lanier | 5-57 |
| UR-474 | A Study of Some Physical Properties of an Aerosol in Relation to Airborne Decay Products of Radon | T. T. Mercer<br>Rochester, N. Y. Univ. | 3-29-57 |
| USNRDL-TR-134 | A Feasibility Study for the Design of Automatic Counting and Sizing Instrumentation | L. D. Miller | 11-16-56 |
| *WADC-TR-56-300 | Tantalum Determination. Technical Report No. 1 | R. W. Moshier<br>J. E. Schwarberg<br>Wright Air Dev. Center Aero. Res. Lab. Wright-Patterson AFB | 6-1-56 |
| * WADC-TR-56-467 | Effects of Nuclear Radiation on Structural Adhesive Bonds. Period Covered: March 1955 to April 1956 | R. S. Arlook<br>D. G. Harvey<br>Wright Air Dev. Center Materials Lab | 8-56 |
| *WADC-TR-57-11 | The Chemistry of Boron Hydrides and Related Hydrides. Annual Report for 1956 | R. W. Parry<br>R. C. Taylor<br>G. Kodama et al<br>Michigan Univ. | 1-57 |
| *WAPD-ReM-16 | Pitting Anodic Corrosion Studies | H. S. Jacket | 11-6-53 |
| * WAPD-RM-115 | An Improvement in Fission Counter Performance | W. Baer<br>R. T. Bayard | 4-52 |
| WIN-68 | Amenability Testing of Homestake North Alice Mine Ore | H. I. Viklund<br>E. J. Hammond | 5-20-57 |
| WIN-72 | Pilot Plant Investigation of the Acid Leach-Filtration-Solvent Extraction Process as Applied to Rio De Oro Dysart Shaft Ore | R. G. Beverly<br>D. O. Skiles<br>R. L. Shimmin | 3-29-57 |

| | | | |
|---|---|---|---|
| Y-1156 | The Deterioration of Redwood Cooling Tower Lumber | F. B. Waldrop<br>J. R. Day<br>H. T. Kite | 6-5-57 |

## ENGINEERING

| | | | |
|---|---|---|---|
| *AEDC-TR-56-7 | A Method of Calculating the Response Time of Pressure Measuring Systems | R. C. Bauer<br>Arnold Eng. Dev. Center, Tullahoma Tenn. | 11-56 |
| *CF-57-1-100 | Thermal Characteristics of a Delta Array Heat Exchanger | J. L. Wantland<br>Oak Ridge Nat'l Lab | 1-28-57 |
| *CF-57-3-60 | High-Temperature Properties in Relation to Design | J. R. Weir<br>R. V. Meghreblian<br>D. A. Douglas<br>same | 3-14-57 |
| *CF-57-4-17 | Suggestion for High Pressure Letdown Device | R. N. Lyon<br>same | 4-2-57 |
| *D2-1662 | Gamma Irradiation of Star-Tracker Components | J. A. Barton<br>H. L. Steele<br>Boeing Airplane Co. | 1-11-57 |
| *ERG-33 | Leak Detection in Double Walled Heat Exchanger Tubes | W. E. Simmons<br>Gt. Brit. At. En. Res. Es. Harwell, Berks, England | [195?] |
| *ERI-2323-9-F | Heat and Momentum Transfer from the Wall of a Porous Tube | S. W. Churchill<br>H. E. Stubbs<br>Michigan Univ. | 3-57 |
| *GAT-DM-455 | Right Circular Cylinder, Solid Angle Calculations | J. A. Pond<br>Goodyear Atomic Corp. | 7-5-56 |
| *HW-47799 | Alternate Process Water By-Pass Systems for CG-558 Pumps | W. J. Love | 12-20-56 |

*Microcard

| | | | |
|---|---|---|---|
| *HW-47892 | Heat Transfer "Beyond Burnout" for Forced Convection Bulk Boiling | L. H. McEwen<br>J. M. Batch<br>D. J. Foley et al | 1-21-57 |
| *IGR-TN/W-399 | Measurement of Boiling Water Heat Transfer Coefficients Using a Liquid Metal Heated Evaporator | T. I. M. Crofts<br>D. Gambles<br>Gt. Brit. Windscale Works, Sellafield, Cumb England | 10-56 |
| *KLX-1038 | Report of the Instrument and Mechanical Development Department on Remotely Operated Connectors | Kellex Corp. | 6-30-49 |
| *LMFS/P-11 | The Effects of a Cavitation Limit on the Design of Pumps for Liquid Bismuth | S. B. Hosegood<br>Gt. Brit. At. Eng Res. Est. Harwell, Berks | 1-11-57 |
| NBS-5071 | Evaluation of a High Pressure Air Expander. Technical Memorandum No. 46 | J. E. Jensen | 5-6-57 |
| *NURG/M-17 | Wall Friction in Annuli | O. Pulley<br>Gt. Brit. At. En. Res. Es. Harwell Berks, England | 2-52 |
| *NURG/M-18 | The Distribution of Wall Friction over Longitudinal Fins | same | 3-19-52 |
| *NURG/M-21 | Simple Theory of Channel Cooling | same | 4-52 |
| * NURG/M-22 | Critical Survey of Channel Cooling | same | 6-26-52 |
| * WADC-TR-56-370 (Pt. II) | Research in High Temperature Bearing Lubrication in the Absence of Liquid Lubricants. Final Report for May 1, 1956 through October 31, 1956 | C. H. Bailey<br>S. S. Sorem<br>Shell Dev. Co. | 10-56 |
| * WAPD-AD(RM)-18 | Friction Coefficient Variation in Room Temperature Water | N. B. Dewees | 4-6-55 |
| *WAPD-CE-39 | Approximate Formulas for Calculation of Thermal Stress in Reactor Vessels, Thermal Shields and Thimbles | B. F. Langer | 3-11-55 |
| *WAPD-EM-143-1 | Pump Bearing Material Screening Program | E. J. Cattabiani | 9-2-52 |

*Microcard

| | | | |
|---|---|---|---|
| *WAPD-EM-169 | Large Model Test Pump--History and Test Data. | J. D. Walls | 3-10-52 |
| *WAPD-EM-174 | Test of WAPD Coolant Pumps | same | 3-28-52 |
| *WAPD-RM-54 | Transient Measurements of Coolant Pump Characteristics | J. P. Franz | 7-17-51 |
| *WAPD-TH-233 | Heat Transfer and Fluid Flow Program of the Bettis Thermal and Hydraulics Section (AlW Project). [Period covered] July 1 - December 31, 1956 | | |

## GEOSCIENCES

| | | | |
|---|---|---|---|
| *RME-2048 (Rev.) | Preliminary Report on a Uranium Occurrence in the Atlanta Area, Lincoln County, Nevada | B. J. Sharp<br>B. L. Myerson<br>Salt Lake Area Office | 1-56 |

## METALLURGY AND CERAMICS

| | | | |
|---|---|---|---|
| *AD-78107 | Investigation of Forged Cobalt Base Alloys for High Temperature Applications Progress Report No. 1 [for] February 1, 1955 to August 31, 1955 | R. R. MacFarlane<br>E. E. Reynolds<br>W. W. Dyrkacz<br>Allegheny Ludlum Steel Corp. | 8-31-55 |
| *AD-83186 | Causes of Cracking in High-Strength Weld Metals. Progress Report [for] June 15 to September 15, 1955 | A. L. Lowe, Jr.<br>R. P. Sopher<br>Battelle Me. Inst. | 9-15-55 |
| *AD-105100 | Thermal Properties of Certain Metals | Lib. of Congress | 4-20-56 |
| *AD-108450 | Absolute Areas of Some Metallic Surfaces | T. L. O'Connor<br>H. H. Uhlig<br>Mass. Inst. of Tech. | 6-27-56 |
| AERE-M/M-143 | The Coefficient Thermal Expansion of Zirconium Nitride | T. W. Baker<br>W. E. Spindler<br>D. Wilkinson | 1-57 |
| *AF-TR-6145 (Pt. III) | The Experimental Measurement of Thermal Conductivities, Specific Heats, and Densities of Metallic, Transparent, and Protective Materials. Part III. | C. F. Lucks<br>J. Matolich<br>J. A. Van Velzor<br>Battelle Me. Inst. | 3-54 |

*Microcard

| | | | |
|---|---|---|---|
| *ALI-C-59291 | Corrosion-Inhibiting Materials and Methods for Magnesium Alloys | Little (Arthur D.) Inc. Cambridge, Mass. | 4-22-55 |
| *BM-B-561 | Zirconium: Its Production and Properties | S. M. Shelton Bureau of Mines Northwest Electro-dev. Lab., Albany, Oreg. | 1-55 |
| BRB-35 | Automatic Recording of Variables in Drawing of Metals | M. T. McGowan R. M. Treco Bridgeport Brass Co., Conn. | 12-7-56 |
| *CF-56-1-20 | Metallographic Analysis of KAPL Sample 3R, 6R, 18R, and 19R. | M. J. Feldman A. E. Richt E. J. Manthos Oak Ridge Nat'l Lab | 1-4-56 |
| *CF-57-1-144 | Quarterly Report on the Solution Corrosion Group for the Period Ending January 31, 1957 | J. C. Griess H. C. Savage J. L. English et al same | 1-31-57 |
| *CF-57-2-51 | Thermal Conductivity of Beryllium: Literature Survey | W. D. Powers same | 2-12-57 |
| *CF-57-2-112 | Inert Atmospheres in Non-Vacuum Chambers for Welding Applications | W. J. Leonard same | 2-6-57 |
| *CR-MET-683 | The Kinetics of Layer Formation by the Interdiffusion of Al and Ni in Extrusion Clad Nickel-Plated Uranium Flats | G. V. Kidson At. En. of Canada Chalk River Project | 3-57 |
| *HW-41859 | A Preliminary study of the Mechanical Properties of M-388, An Aluminum-1% Nickel Alloy. | D. E. Johnson W. H. Ellis | 3-16-56 |
| *HW-47017 (Del) | An Ultrasonic Method for Bond Testing Reactor Fuel Elements | D. C. Worlton | 11-27-56 |
| *HW-47699 | Procedures for Measurement of Aluminum Corrosion | H. C. Bowen R. A. Thiede | 1-14-57 |

*Microcard

| | | | |
|---|---|---|---|
| *HW-47921 | Feasibility Study on Magnesium Alloy Process Tubing for Organic Coolants | J. W. Lingafelter | [1957] |
| *HW-48480 | Gold Gaskets for Process Piping | R. W. Wirta | 2-14-57 |
| *JPL-PR-20-252 | Stability of Titanium Diboride and Zirconium Diboride in Air, Oxygen, and Nitrogen | F. H. Brown, Jr.<br>Calif. Inst. of Tech<br>Pasadena. Jet Pro. Lab. | 2-25-55 |
| KAPL-1668 | Electrowinning of Uranium from its Oxides. II. A Preliminary Engineering Evaluation | L. W. Niedrach<br>A. C. Schafer | 4-3-57 |
| KAPL-1774 | Development of a New Process for Cutting Stainless Steel | R. A. Gahr | 4-22-57 |
| *KAPL-M-CTW-2 | Crystal Bar Hafnium Powder, Its Production, Mechanical and Corrosion Properties | C. T. Waldo<br>W. K. Anderson | 1-10-57 |
| *KAPL-M-DBK-2 | Evaluation of Seal Weld Joint Designs | D. B. Kittle | 1-17-57 |
| *KAPL-M-DBK-2 (Suppl. 1) | Evaluation of Seal Weld Joint Designs | K. H. Koopman<br>D. B. Kittle | 3-12-57 |
| *KAPL-M-JLM-2 | Determination of Tin in Zircaloy and Uranium-Zircaloy: Colorimetric Procedure | J. L. Marley<br>O. J. Articolo | 2-14-57 |
| *KAPL-M-JMG-6 | Welding of Titanium to Hafnium | J. M. Gerken<br>S. A. Toftegaard | 12-18-56 |
| *LMFP/P-9 | The Evaporation of Polonium from Bismuth Melts | Bagnall<br>D. S. Robertson<br>Gt. Brit. Atomic En. Res. Es. Harwell Haw Berks, England | [1956] |
| *M-4518 | Production of Fused Magnesia Refractories | C. H. Gustafson, Jr.<br>O. J. Whittemore, Jr.<br>Norton Co., Worchester Mass. | 11-10-50 |
| *M-5381 | Use of Metal Molds for Casting Uranium | H. E. Cleaves<br>National Bureau of Standards | [1946?] |

*Microcard

| | | | |
|---|---|---|---|
| *MAB-115-M | Alloys for Use at Elevated Temperatures | Nat'l Res. Council<br>Materials Adv. Board | 2-25-57 |
| *MS-PR-55-68 | The Improvement in Weld Soundness by the Use of Halogens and Halides in Inert Gas Metal Arc Welding of Aluminum | A. R. Pfluger<br>M. B. Kasen<br>Kaiser Alum. and Chem. Corp., Spokane | 12-30-55 |
| NAA-SR-1885 | Solid State Physics. Semiannual Progress Report [for] July-December, 1956 | J. E. Hove, ed. | 6-1-57 |
| *NACA-1243 | High-Resolution Autoradiography | G. C. Towe<br>H. J. Gomberg<br>J. W. Freeman<br>Mich. Univ. | 6-1-53 |
| * NACA-RM-51D23 | Notes on Heat-Resistant Materials in Britain from Technical Mission, October 13, to November 30, 1950 | J. W. Freeman<br>H. C. Cross<br>same | 5-14-51 |
| * NACA-TN-3462 | Tensile Properties of 7075-T6 and 2024-T3 Aluminum-Alloy Sheet Heated at Uniform Temperature Rates Under Constant Load | G. J. Heimerl<br>J. F. Inge<br>Langley Aero. Lab | 7-55 |
| * NACA-TN-3828 | Investigation of the NiAl Phase of Nickel-Aluminum Alloys | E. M. Grala<br>Lewis Flight Propulsion Lab., Cleveland | 10-29-56 |
| * NACA-TN-3842 | Creep Behavior of Structural Joints of Aircraft Materials Under Constant Loads and Temperatures | L. Mordfin<br>A. C. Legate<br>Nat'l Bureau of Standards | 12-12-55 |
| *NACA-TN-3866 | Fatigue Tests on Notched and Unnotched Sheet Specimens of 2024-T3 and 7075-T6 Aluminum Alloys and of SAE 4130 Steel with Special Consideration of the Life Range from 2 to 10,000 Cycles | W. Illg<br>Langley Aero. Lab. | 9-5-56 |
| *NACA-TN-3932 | An Investigation of High-Temperature Vacuum and Hydrogen Furnace Brazing | W. E. Russell<br>J. P. Wisner<br>Lewis Flight Propulsion Lab | 3-57 |

*Microcard

| | | | |
|---|---|---|---|
| *NACA-TN-3976 | Rupture Strength of Several Nickel-Base Alloys in Sheet Form | J. H. Dance<br>F. J. Clauss<br>Lewis Flight Propulsion Lab., Cleveland | 4-57 |
| *NAVORD-3948 | Vacuum Evaporation of Heavy Metallic Films | W. R. Turner<br>Naval Ordnance Lab | 6-2-55 |
| *NP-6231 | High Velocity Corrosion Study in Organic Media. Technical Report No. 54 | K. R. Barker<br>J. W. Mausteller<br>Mine Safety Appliances Co., Callery, Penna. | 2-27-57 |
| *NP-6238 | Bibliography on the Physical Metallurgy of Uranium. [Period covered] 1953-1956 | H. C. Friedemann, comp.<br>Penn-Texas Corp. | 3-57 |
| *NP-6242 | Directional Properties in Titanium and Titanium Alloys | Battelle Me. Inst | 1-31-57 |
| *NP-6245 | The Heat Treatment of Ti-6Al-4V | same | 2-12-57 |
| *NP-6247 | Deep Drawing of Titanium and Titanium Alloys | same | 2-20-57 |
| *NRL-Memo-581 | Evaluation of Croloy Steel for Sodium Use | B. F. Brown | 3-23-56 |
| *ORNL-363 (Rev.) | Air Contamination and Attendant Metal Losses During Production of Uranium-Aluminum Alloys | G. M. Adamson<br>Oak Ridge Nat'l Lab | 7-12-49 |
| *OSR-TN-56-402 | Effects of Solid Environments on the Brittle Fracture of Zinc Single Crystals | L. C. Weiner<br>M. Gensamer<br>Columbia Univ. | 8-24-56 |
| *OSR-TN-56-446 | The Polymorphic Modificarions of Silica in Ceramic Coatings Report No. 77 | J. H. Lauchner<br>Illinois Univ. | 2-57 |
| *OSR-TN-57-150 | High Temperature Oxidation of Iron-Nickel Alloys. Metallurgy Report No. 12 | M. J. Brabers<br>C. E. Birchenall<br>Princeton Univ. | 3-25-57 |
| *OSR-TR-57-12 | A Study of a Family of Laves-Type Intermediate Phases. Final Technical Report for March 15, 1955 to May 13, 1956 | R. P. Elliott<br>Ill. Inst. of Tech | 1-18-57 |

*Microcard

| | | | |
|---|---|---|---|
| *RCTC/P-33 | Preliminary Work on Corrosion in Caustic Soda | J. N. Gregory<br>P. F. Wace<br>Gt. Brit. Atomic Energy Res. Es. Harwell, Berks, England | 11-18-54 |
| *RCTC/P-68 | High Temperature Processing of Fast Reactor Plutonium Fuels: General Considerations | J. M. Fletcher<br>same | 3-14-56 |
| *RCTC/P-71 | High Temperature Processing of Plutonium Fuels: Initial Experiments | A. J. Smith<br>same | 5-29-56 |
| * RDB(C)/TN-51 | The Creep of Uranium.<br>A Review of Progress from December 19, 1952 to June 19, 1953 | M. J. Makin<br>Gt. Brit. Culcheth Labs., Culcheth, Lancs England | 7-27-53 |
| *WADC-TR-56-374 (Pt. 1) | Mechanical Properties of Unalloyed Chromium. Period covered: April 1, 1955 to March 30, 1956 | S. A. Spachner<br>W. Rostoker<br>Ill. Inst. of Tech. | 12-56 |
| *WADC-TR-56-469 | Phase Transformations in Hypoeutectoid Titanium-Chromium Alloys. Period Covered: August 1, 1955 through July 31, 1956 | H. I. Aaronson<br>G. M. Andes<br>W. B. Triplett et al<br>Carnegie Inst. of Tech. | 10-10-56 |
| *WAL-401/85-32 | Correlation of Titanium Phase Diagrams. Final Report. | I. Cadoff<br>N. Y. Univ. | 5-56 |
| WAPD-167 | The Effects of Irradiation Cycling on Pressurized Water Reactor Blanket Fuel Elements | J. D. Eichenberg | 3-13-57 |
| *WAPD-CPM-3 | Fretting Wear of Zircaloy-2 Pellets and Consequences Thereof | L. A. Waldman<br>P. Cohen | 1-9-56 |
| *WAPD-RM-156 (Del.) | Metallographic Examination of Zircaloy 2 Subjected to Various Annealing Treatments | E. L. Richards | 11-26-52 |
| * WAPD-T-326 (Del) | Fabrication of Zircaloy Clad Fuel Plate Assemblies for Pressurized Water Reactors | C. A. Meyers<br>E. D. Baugh | 4-56 |
| *WAPD-TM-42 | Thermal Diffusion of Hydrogen in Zirconium. Preliminary Report | J. M. Markowitz<br>J. Belle | 2-57 |

*Microprint

## PHYSICS

| | | | |
|---|---|---|---|
| *AD-81080 | The Experimental Determination of Some Neutron Properties of a Paraffin Moderator at the United States Institute of Technology Wright-Patterson AFB, Ohio (thesis) | T. B. Kerr<br>Inst. of Tech.<br>Wright-Patterson AFB | 3-15-55 |
| AD-115861 | The Theory and Design of Coaxial Resistor Mounts for the Frequency Band 0-4000Mc/s. Monograph No. 132 R. | I. A. Harris<br>Inst. of Electrical Engineers, London | 5-55 |
| *AERE-T/M-133 | Basis Functions for Electronic States in α-Uranium | D. F. Johnston | 3-56 |
| AERE-T/M-144 | Perturbation Formulae for the Mathieu Equation | M. Bell | 2-57 |
| AERE-T/R-2077 | Twist Resonances | same | 10-56 |
| *AERE-T/R-2177 | Preliminary Report on Multigroup Calculations for Zephyr and Zeus | M. E. Mandl | 2-57 |
| ANL-5698 | Physics Division Summary Report [for] January Through March, 1957 | | 4-57 |
| BNL-325 (Suppl. 1) | Neutron Cross Sections | D. J. Hughes<br>R. B. Schwartz<br>Nuclear Cross Sections Adv. Grp., AEC | 1-1-57 |
| *BNL-2917 | Selection of the Input Tube for a Low-Noise Preamplifier | A. T. Moffet<br>R. L. Chase | [1956] |
| CERN-PS/RGb-10 | Notes Sur La Fabrication Des "Peaking Strips" | R. Gabillard | 4-57 |
| *CF-56-8-126 | Operating Manual for Oracle Code No. 243: The Calculation of Gamma Heating in Reactors of Rectangular Geometry | T. B. Fowler<br>H. C. Claiborne<br>Oak Ridge Nat'l Lab | 8-20-56 |
| *CF-57-3-48 | Neutron and Gamma-Ray Attenuation for a Fission Source in Water--Comparison of Theory with LTSF Measurements | D. R. Otis<br>same | 3-12-57 |
| *CISE-51 | A New Half-Wave Response Magnetic Amplifier for Low Remanence Cores | G. Giannelli<br>R. Tasselli<br>Centro Informazioni Studi Esperienze, Milan | 6-20-56 |

*Microcard

| | | | |
|---|---|---|---|
| *CISE-52 | Power Servoamplifiers with Switching Transistors | E. Gatti<br>G. Giannelli<br>Centro Info. Studi Esperienze, Milan | 8-1-56 |
| CRP-690 | A Revised Semi-Empirical Atomic Mass Formula; with Appended Table of Mass Excesses and Nuclear Reaction Energies | A. G. W. Cameron<br>At. En. of Canada Ltd. Chalk River Project, Chalk River, Ont. | 3-57 |
| *CRRP-659(Add) | Addendum to [Calculated Cross Sections of Irradiated Fission Products.] | D. G. Hurst<br>same | [1956] |
| *E. 443/N-13 | Fluxes and Currents in E. 443 | J. D. McCullen<br>Gt. Brit. At. En. Res. Est. Harwell Berks, England | 1-20-54 |
| *E. 443/N-29 | The Radial, Two Group Statistical Weighting Factor in E. 443 | same | 6-8-55 |
| *HW-47576 | Standardization of Calibration Wells | E. E. Donaldson | 1-6-57 |
| *HW-47707 | Successive Generations Disadvantage Factors | M. T. Lee | 12-20-56 |
| HW-49669 | The Vernier Chronotron | H. W. Lefevre<br>J. T. Russell | 4-12-57 |
| *IFR/P-1 | Thermal Neutron Monitor in Dounreay Fast Reactor: Variation of Response with Temperature | J. S. Story<br>Gt. Brit. At. En. Res. Est. Harwell Berks, England | 10-56 |
| KAPL-1742 | Summary of Fast Neutron Irradiation Studies on Germanium | W. A. Smith, Jr.<br>J. E. Noonan<br>K. Minassian | 4-26-57 |
| *KAPL-M-RCR-4 | Flux Distributions in Spiked Slab Lattices | R. C. Rohr | 2-6-57 |
| LA-2080 | Orbits of Charged Particles in a Solenoid with Sinusoidal Current | J. W. Brault | 6-21-57 |
| LA-2122 | Fast Neutron Cross Sections. Corrections to LA-1714 and a Correlation of 3 Mev Values | R. L. Henkel | 6-11-57 |

*Microcard

| | | | |
|---|---|---|---|
| MF-92 | Constant-Potential Constant-Current Transformation. Reprinted from the book: Theory and Calculation of Electric Circuits, by Charles Proteus Steinmetz. 1st ed. New York, McGraw-Hill 1917. Chapt. XIV, p. 245-96 | | |
| MISC-1957-143 | X-Ray Study of Deuteron Irradiated Copper Near 10°K. Tech. Report No. 10. | J. S. Koehler<br>R. O. Simmons<br>Illinois Univ. | 4-57 |
| MISC-1957-144 | Possible Violation of Charge Independence in Strong Interactions | J. J. Sakurai<br>Cornell Univ.<br>Ithaca, N. Y.<br>[Floyd Newman]<br>Lab. of Nuclear Studies | [1957] |
| MISC-1957-145 | Photo-K-$\Lambda$ Production and Possible "Up-Down" Asymmetry in the $\Lambda$ Decay | J. J. Sakurai<br>same | [1957] |
| *MURA-249 | The Relation of Eigenpoles to Back-Wound poles, Reluctance Poles, and other Derived Pole Structures and Their Winding Error Effects | D. W. Kerst<br>Midwestern Univ.<br>Res. Assn. Madison, Wis. | 3-29-57 |
| * NAA-SR-Memo-542 | The Effect of Neutron Velocity Distribution on Eta | L. B. Robinson | 12-17-52 |
| NAA-SR-Memo-702 | Neutron Leakage from the 30 Megawatt SGR-P4 Reactor | F. L. Fillmore | 8-21-53 |
| *NARF-57-1T | Spatial Distribution of Neutrons beyond a Straight Cylindrical Duct Through a Shield | J. W. Neuberger<br>R. L. Johnston<br>Convair | 1-15-57 |
| NEVIS-40 | Evidence Against Spin 1 for the $\tau$ Meson | J. Orear<br>Columbia Univ. | 4-57 |
| NEVIS-46 | Systematics of $\Lambda^0$ and $\theta^0$ Decay | R. Plano<br>N. Samios<br>M. Schwartz et al<br>same | 4-57 |
| *NP-6214 | Arc Initiated Discharge in Magnetic Field in High Vacuum. I. Ionic Centrifuge Type of Discharge | J. Slepian | 6-56 |

*Microcard

| | | | |
|---|---|---|---|
| *NRDC-10 | Memorandum to the Nuclear Reactor Data Committee on Low-Lying Levels in $U^{233}$, $U^{235}$, and $Pu^{239}$ | P. E. Cavanagh<br>Great Brit. Atomic En. Res. Est., Harwell, Berks, England | 12-31-51 |
| *NRDC-22 | The Dependence of the Ratio $Pu^{240}$ - $Pu^{239}$ Atoms in a Natural Uranium Reactor on the Capture Cross-Sections of $Np^{239}$ and the Thermal Neutron Flux | J. F. Hill<br>same | 3-10-53 |
| NRL-4944 | On a Self-Consistent Field Method for a Completely Ionized Gas | E. G. Harris | 5-17-57 |
| *NYO-6339 | Study of Interactions of High Energy Particles with Matter | E. C. Fowler<br>H. L. Kraybill<br>Yale Univ. | 3-1-57 |
| *NYO-7695 | Non-Linear Deflections of Shallow Spherical Shells | E. L. Reiss<br>H. J. Greenberg<br>H. B. Keller<br>New York Univ. | 12-31-56 |
| *NYO-7887 | Electron Oscillations in a Magnetic Field. Technical Memo No. 13 | W. A. Newcomb<br>Princeton Univ. | 12-14-54 |
| ORO-162 | Bombardment Energy and Fission Product Yield Pattern: Protons on Th-232, U-233, and Th-230 | W. H. Jones<br>Emory Univ. | 1956 |
| *OSR-TN-57-132 | Complete set of Dispersion Relations for a Class of Fixed Source Meson Theories. Tech. Note No. 6 | R. E. Norton<br>A. Klein<br>Penna. Univ. | 3-57 |
| * OSR-TN-57-133 | The Many Body Problem in Quantum Field Theory Tech. Note No. 7 | A. Klein<br>C. Zemach<br>same | 3-57 |
| *WAPD-P-439 | The Effect of the Doppler Broadening on the Resonance Absorption in Homogeneous Mixtures | R. L. Hellens | 5-54 |
| *WAPD-PM-3 | Coding Manual for the Circle Computer | R. Goodman | 8-54 |
| *WAPD-PM-45 | Distribution of Neutrons at Thermal Energies. Description of Donate Code | H. Amster<br>R. Suarez | 5-56 |

*Microcard

## REACTOR SCIENCE

| | | | |
|---|---|---|---|
| AERE-Inf/Bib-97 | The United Kingdom Atomic Power Programme: A Selected Reading List | | 3-5-57 |
| *AERE-T/M-130 | Critical Size and Multiplication of a Uranium Booster | R. J. Royston | 9-55 |
| *AI-Memo-1684 | Additional Analysis of SRE Safety | W. T. Morgan<br>Atomics In. Div.<br>NAA | 7-56 |
| ANL-5590 | Cross-Rod Matrices: Flow Friction Behavior and Recommended Thermal Design Data | J. F. Matousek | 4-57 |
| *ANL-5657 | Reactor Engineering Division Quarterly Report--Section II [for] July, August, September 1956 | | 12-56 |
| *ANL-WMM-596 | Reactor Hazards | J. J. Katz<br>H. R. Hoekstra | 1-27-50 |
| *APAE-Memo-7 | Analysis of Primary System Blowdown by Rupture Disc Failure | C. G. Johnson<br>Alco Products, Inc. | 1-27-56 |
| *APAE-Memo-16 | Thermal Stresses in the Pressure Vessel of the APPR-1 | H. Kroeger<br>T. M. Silks<br>same | 5-1-56 |
| *ATRS/Conf/6 | Conference on Advanced Type Reactor Systems to be Held at the Atomic Energy Research Establishment, Harwell, November 30, 1956. The High Temperature Gas Cooled Reactor System. | P. Fortescue<br>Gt. Brit. Atomic En. Res. Es.<br>Harwell, Berks, England | 11-9-56 |
| *BCM/WP-2 | Effectiveness of New Emergency S. O. Rods in B. E. P. O. | C. C. Horton<br>same | 10-26-53 |
| *BLWR/N-3 | Preliminary Nuclear Calculations for Boiling Light Water Reactor | C. B. Crockett<br>same | 10-55 |
| *BLWR/N-4 | Coolant Limitations on the Power Output Available from a Light Water Boiling Reactor with an 8 ft. Diameter Vertical Core Operating at 700 p. s. i. a. Under Forced Circulation | A. Bell<br>same | 11-23-55 |

*Microcard

| | | | |
|---|---|---|---|
| *BLWR/N-5 | An Initial Attempt to Optimise the Boiling Light Water Moderated Reactor From an Economic Viewpoint | P.D. Hodson<br>Gt. Brit. At. En. Res. Est.<br>Harwell, Berks, England | 10-55 |
| *BLWR/N-8 | Estimation of Enrichment, Flux and Density Distribution for Variable Density $H_2O$ Core | P.C. Dannatt<br>same | 1-56 |
| *BLWR/N-9 | Temperature Distribution in Uranium Oxide Fuel Elements for Boiling Light Water Reactor | C.B. Crockett<br>same | 1-26-56 |
| *BWR-4 | Power Output from a Boiling Reactor with Natural Circulation | R. Clough<br>same | 4-14-55 |
| *CEI-88 | The Cost of Transporting Irradiated Fuel Elements--Preliminary | F.G. Crouch<br>Chalk River Project | 12-55 |
| *CF-53-4-57 | Comments on Vapor Separators in Boiling Reactors | P.C. Zmola<br>R.N. Lyon<br>Oak Ridge Nat'l Lab | 4-1-53 |
| *CF-54-2-200 | Control of Xenon Poisoning by Stripping with Gas. | R.E. Aven<br>same | 2-19-54 |
| *CF-54-4-81 | Possible Hazard in HRT Start-Up | S. Visner<br>same | 4-8-54 |
| *CF-54-8-53 | HRT Design Data, Issue No. 2 | F.C. Zapp<br>R.E. Aven<br>same | 8-10-54 |
| *CF-56-2-128 | Effects of Heat Generation and Heat Removal on HRT Shutdown and Dump | M.W. Rosenthal<br>H.C. Claiborne<br>same | 2-8-56 |
| *CF-56-6-175 | The H.R.R. Thimble Design Problem | R.F. Hughes<br>same | 6-27-5 |
| *CF-57-2-5 | Control System for HRT Cooling Water | R.L. Moore | 2-11-57 |

*Microcard

| | | | |
|---|---|---|---|
| *CF-57-2-9 | Effect of HRT Core Sample Holder Upon Core Flow Pattern and Pressure Drop | B. A. Hannaford<br>Oak Ridge Nat'l Lab., Tenn. | 2-4-57 |
| *CF-57-2-120 | Time Behavior of Fuel Concentrations in Single-Region Reactors Containing U-233, U-235, Th-232 and Fission Product Poisons. | N. Gilbert<br>P. R. Kasten<br>same | 2-26-57 |
| *CF-57-3-50 | In-Pile Slurry Loop Program | T. A. Arehart<br>E. L. Compere<br>D. E. Ferguson et al<br>same | 3-8-57 |
| *CF-57-3-112 | In-Reactor Autoclave Corrosion Studies. II. Autoclave Z-18 | K. S. Warren<br>R. J. Davis<br>G. H. Jenks<br>same | 3-22-57 |
| *CF-57-3-120 | Source of Fission Products in LITR Cooling Water | D. W. Moeller<br>G. W. Leddicotte<br>same | 3-26-57 |
| *CF-57-4-20 | Pressure Rise in HRT Shield Due to Reactor and Replacement Heat Exchanger Rupture | J. C. Bolger<br>R. O. Maak<br>E. H. Gift<br>same | 4-2-57 |
| *CISE-53 | Critera of a Project for a 10-MW Natural Uranium, Heavy Water Reactor: Characteristics and Dimensions | A. Ascari<br>U. L. Businaro<br>G. Franco, et al<br>Cen. Inf. Studi Esperienze, Milan | 2-8-57 |
| *CRNE-551 | The Temperature Coefficients of NRX and ZEEP. Part A. Temperature Coefficients of NRX. Part B. Temperature Coefficient of a ZEEP Lattice | A. G. Ward<br>Chalk River Pro. | 12-53 |

*Microcard

| | | | |
|---|---|---|---|
| CRR-578(Rev.) | Handbook of Shielding and Heat Production Calculations for the N.R.U. Reactor | W.J. Henderson<br>A.C. Whittier<br>Chalk River Pro. | 1-55 |
| *DL-15 | Canadian Power Development--Future Possibilities | W.B. Lewis<br>same | 8-54 |
| *DL-29 | Natural Uranium-Heavy Water Reactors for Low Cost Power | same | 2-25-57 |
| *DR-30 | Interim Note Correlating Data on the Ratio of Pu-240 to Pu-239 in NRX Uranium Rods | same | 3-9-53 |
| *E.443/N-9 | Activities to be Expected in the $D_2O$ Circuit in Project E.443 | V.S. Crocker<br>Gt. Brit. At. En.<br>Res. Est. Harwell<br>Berks, England | 1-14-54 |
| *E.443/N-23 | Reactor Control by Coolant Poisoning | J.K. Linacre<br>same | 3-3-55 |
| *E.443/N-30 | Fuel Depletion in E.443 | P.W. Mummery<br>same | 5-25-55 |
| *E.443/N-32 | The High Flux Fuel Testing Reactor (RE 775) Nuclear Data Sheet | B.T. Price<br>E.B. Fossey<br>same | 6-55 |
| *ED/448/N-50 | Design Manual for High Pressure Water Loop in Dido. Revision D. | I. Everson<br>same | 10-56 |
| *FSG-7 | Liquid Fuel Elements | S.G. Bauer<br>same | 9-1-53 |
| *FSG-22 | Homogeneous Thermal Reactors | R. Hurst<br>F.W. Fenning<br>J. Smith et al<br>same | 6-2-54 |
| *FSG-37 | Thermal Reactor Plutonium-Uranium Fuel Cycles | J.V. Dunworth<br>same | 7-14-54 |

*Microcard

| | | | |
|---|---|---|---|
| *IDO-16009 | Review of Shielding Calculations for Irradiated Fuel Assemblies in the MTR Canal | W. L. Morris<br>D. T. Bray | 4-1-52 |
| *IDO-16066 | Shielding Requirements for Shipment of Metallurgical Samples | L. H. Boyer | 2-12-53 |
| IDO-16198 | Statistical Analysis of MTR Fuel Element Non-Destructive Assay Data | F. H. Tingey<br>F. P. Vance | 10-8-54 |
| *IGE/R-25 | The Effect of Thermal Shock on the Fast Reactor | G. Haigh<br>W. H. Irvine<br>United Kingdom At. En. Auth., Ind. Grp. H. Q., Risley Lancs, England | 6-20-56 |
| *IGR-TM/R-114 | A Note on EBR I Oscillations | J. E. Mann<br>same | 3-57 |
| *KAPL-M-CJR-3 | Nuclear and Thermal Design of a Hypothetical Reactor | C. J. Ranney<br>M. F. Pravda | 1-1-57 |
| *KAPL-M-SMS-46 | S3G/S4G Status Report on Tests of High Temperature Purification Media | A. A. Sugalski | 12-14-56 |
| LAMS-2126 | Suggestions on the Design of Hetergeneous Reactors | B. E. Watt | 6-14-57 |
| *LEO/N-28 | Hydrogen Diffusion into Surge Tank | V. L. Fontaine<br>D. F. Norsworthy<br>Gt. Brit. At. En. Res. Est., Harwell, Berks, England | 9-55 |
| *LEO/N-29 | Neutron Flux Measurement in LEO | D. F. Norsworthy<br>same | 9-20-55 |
| *LEO/N-30 | Shielding Required for LEO Primary Circuit | W. M. Ogston<br>same | 11-55 |
| *LEO/N-34 | Estimation of the Gamma Activity Inside the Lower Part of the Leo Pressure Vessel After Shut Down | same | 1-56 |

*Microcard

| | | | |
|---|---|---|---|
| *LMFR/P-7 | An Estimate of the Possible Performance of Liquid Metal Fuelled Fast Reactors with Particular Reference to Plutonium-Bismuth Systems | B.R.T. Frost<br>W. Murgatroyd<br>R. Rutherford<br>Gt. Brit. Atomic En. Res. Est. Harwell, Berks, England | [1957] |
| *LMFS/N-3 | The Single Core Thermal L.M.F.R. | R. Rutherford<br>same | [1956 ?] |
| *M-4575 | Analysis and Recommended Modifications for Pile Structure at the Brookhaven National Laboratory | Babcock and Wilcox | 6-15-50 |
| *N-2322 | "Cane" and "Bamboo" Fuel Rods | H.B. Fairchild<br>Argonne Nat'l Lab. | 8-7-46 |
| * NAA-SR-Memo-1633 | SRE Design Changes | J.E. Owens | 5-4-56 |
| * NAPLES-UK-8 ($R_e$ v) | The Role of Fast Reactors in a Nuclear Power Programme | C.A. Rennie<br>Gt. Brit. At. En. Res. Est. Harwell, Berks, England | 5-4-56 |
| *NARF-57-9T | Analysis of Lead Shadow Shield Experiment | R.L. Kloster<br>Convair | 2-27-57 |
| *NURG/M-5 | Optimum Conditions for a Pile-Steam Turbine System | O. Pulley<br>Gt. Brit. At. En. Res. Est. Harwell, Berks, England | 4-51 |
| *NURG/M-50 | The Choice of Blower Power for Pile-Generator Systems | same | 1-9-53 |
| *NURG/M-51 | The Effects of Costs and Blower Power on the Optimum Conditions in a Simple Pile-Steam Generator System | same | 1-23-53 |
| *POC-Data-39 | Z.E.U.S. Control Mechanisms Assembly and Test Specification | G.E. Lockett<br>same | 3-7-55 |
| *POC/data-50 | MK. I Uranium-Bismuth Loop (BEPO). (Design Manual). | D.F. Norsworthy<br>same | 10-56 |

*Microcard

| | | | |
|---|---|---|---|
| *WAPD-CTA-IH-87 | PWR Preoperational Radiation Monitoring Program. Preliminary Report | | 3-21-56 |
| *WAPD-RD-22 | Outline of PWR Reactor Vessel Testing Program | P. A. Halpine | 4-2-55 |
| *WAPD-RD-40 | PWR Pressure Vessel Test Program | N. J. Palladino | 5-16-55 |
| *WAPD-T-188 | Inherent Reactor Stability | J. N. Grace<br>M. A. Schultz<br>T. E. Fairey | 1 -54 |
| *WAPD-T-432 | Experimental Techniques for the Calibration of Reactor Control Devices and for the Determination of Power Level (Thesis) | S. Kaplan | 11-56 |
| *WAPD-TH-131 | Cobra Instrumentation Mixing Tests | J. R. Parrette<br>R. E. Grimble | 9-9-55 |
| *WAPD-TH-219 | Review of Martinelli-Nelson Pressure Drop Correlation | N. C. Sher | [7-56] |
| *WAPD-TH-241 | Pressure Drop Through Staggered Multihole Orifices in Series (PWR Blanket Design). | B. W. LeTourneau | 8-14-56 |

## MISCELLANEOUS

| | | | |
|---|---|---|---|
| AERE-Inf/Bib-96 (Suppl. 1) | A List of Reports for Sale and Published Papers by A. E. R. E. Staff. (Published mainly between August, 1954 and December 1955.) | L. J. Anthony<br>P. M. Harris | 9-56 |
| AFOSR-TN-57-287 | The Descriptive Continuum; A "Generalized" Theory of Indexing | F. Jonker<br>Documentation, Inc.<br>Washington, D. C. | 6-57 |
| ANL-5740 | Additions to the Library. Report for the Period May 16-31, 1957. Technical Reports and Books | P. A. Schulze | |
| *HW-47721 | Meteorology as Related to Waste Disposal and Weapons Tests | J. J. Fuquay | 1-15-57 |
| JENER-5th-Annual Report. July '55-June '56 | Fifth Annual Report, July 1955 - June 1956, of the Dutch-Norwegian | Jt. Est. for Nuclear Energy Res.<br>Kjeller, Norway | |

*Microcard

| | | | |
|---|---|---|---|
| *LAMS-2020 | The Wind Variability of Fall-Out Patterns | L. Sherman | 3-56 |
| MISC-1957-41 H.R. 7992 | 85th Congress, 1st Session, House of Representatives. A Bill to Amend the Atomic Energy Act of 1954, as Amended, [with Regard to Appropriations] and for Other Purposes, Introduced by Mr. Durham, June 7, 1957, and Referred to the Joint Committee on Atomic Energy. | U.S. Congress | |
| MISC-1957-41, H.R. 8003 | 85th Congress, 1st Session, House of Representatives. A Bill to Amend the Atomic Energy Act of 1954, as Amended to increase the Salaries of Certain Exectives of the Atomic Energy Commission, and for Other Purposes, Introduced by Mr. Durham, June 7, 1957 and Referred to the Joint Committee on Atomic Energy. | same | |
| MISC-1957-41, Report No. 413 | 85th Congress, 1st Session, Senate. A Report (to Accompany S. 1918) [Concerning] Principal Office Building For Atomic Energy Commission, Submitted by Mr. Anderson from the Joint Committee on Atomic Energy, June 6, 1957, and Ordered to be Printed. | same | |
| MISC-1957-141 | Hearings Before the Committee on Foreign Relations, United States Senate, and Senate Members of the Joint Committee on Atomic Energy, Eighty-Fifth Congress, First Session, on Executive I, The Statute of the International Atomic Energy Agency, May 10, 14, 15, and 20, 1957. | same | |
| MISC-1957-142 | Hearings Before the Joint Committee on Atomic Energy, Congress of the United States, Eighty-Fifth Congress, First Session, on Governmental Indemnity and Reactor Safety, March 25, 26, and 27, 1957 | same | |
| *NAVORD-2007 | Atomic Cloud Sampling with Rockets: Development of the Technique | H. T. Lotee<br>O. L. Mitchell<br>J. M. Brower<br>Naval Ordnance Test Station, Inyokern (China Lake) | 1-13-53 |
| *OSR-TN-56-69 | Theoretical Considerations of Performance Characteristics of Solar Furnaces. Tech. Report No. I (Report No. 3) | E. Loh<br>P. Duwez<br>N. K. Hiester et al<br>Stanford Res. Inst. | 1-16-56 |
| TID-1912 | Report Announcement Bulletin. Unclassified Reports for Civilian Applications | | 5-29-57 |

*Microcard

UCRL-3844

| | | | |
|---|---|---|---|
| USNRDL-TR-139 | A Fallout Forecasting Technique with Results Obtained at the Eniwetok Proving Ground | E. A. Schuert | 4-3-57 |

LIST OF UNCLASSIFIED REPORTS ISSUED BY THE UCRL INFORMATION DIVISION

| | | | |
|---|---|---|---|
| UCRL-3794 | A Noble Gas Scintillation Counter | Robert W. Dickieson (Navy Thesis) | 5-28-57 |
| UCRL-3809 | On the Identity and Parity of K Mesons and the Parity of Hyperons From A Strong Reaction | J. Sandweiss S. Barshay | 6-13-57 |
| UCRL-3812 | List of Unclassified Reports Received and Issued by the UCRL Information Division During the Period of June 1-15, 1957 | | 6-17-57 |
| UCRL-3813 | Continuously Sensitive Bubble Chamber | R. H. Good | 6-17-57 |
| UCRL-3814 Abstract | Relativistic Self-Consistent Solutions for Heavy Atoms | S. Cohen, RAND Corp. and UCRL | 6-57 |